



07P-2836 #4

RECEIVED

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

1785 201  
TO 2800 MAIL ROOM

Applicant : Robert Van Kommer  
Serial No.: ~~09/834,535~~ 09/835,237 Art Unit: 2836  
Filed: April 13, 2001  
Title: VOICE PORTAL HOSTING SYSTEM AND METHOD  
Docket No.: 33226

LETTER

RECEIVED

Commissioner for Patents  
Washington, D.C. 20231

JUL 31 2001  
TECHNOLOGY CENTER R3700

Sir:

Enclosed is a certified copy of European Patent Application No. 00110430.6, the priority of which has been claimed in the above-identified application.

If there are any fees resulting from this communication, please charge such fees to our Deposit Account No. 16-0820, our Order No. 33226.

RECEIVED

Respectfully submitted,  
PEARNE & GORDON LLP

FEB 21 2002  
Technology Center 2600

By: Thomas P. Schiller  
Thomas P. Schiller, Reg. No. 20677

526 Superior Avenue East  
Suite 1200  
Cleveland, Ohio 44114-1484  
(216) 579-1700

Date: July 16, 2001

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231 on the date indicated below.

Thomas P. Schiller  
Name of Attorney for Applicant(s)

July 16, 2001 Thomas P. Schiller  
Date Signature of Attorney



Europäisches  
Patentamt

European  
Patent Office

Office européen  
des brevets

TO THE MAIL ROOM

RECEIVED

JUL 31 2001

TECHNOLOGY CENTER R3706

Bescheinigung

Certificate

Attestation

Die angehefteten Unterla-  
gen stimmen mit der  
ursprünglich eingereichten  
Fassung der auf dem näch-  
sten Blatt bezeichneten  
europäischen Patentanmel-  
dung überein.

The attached documents  
are exact copies of the  
European patent application  
described on the following  
page, as originally filed.

Les documents fixés à  
cette attestation sont  
conformes à la version  
initialement déposée de  
la demande de brevet  
européen spécifiée à la  
page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

00110430.6

CERTIFIED COPY OF  
PRIORITY DOCUMENT

RECEIVED

FEB 21 2002

Technology Center 2600

Der Präsident des Europäischen Patentamts:  
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets  
p.o.

Agneta Malmbergh

MÜNCHEN, DEN  
MUNICH,  
MUNICH LE

21/02/01



Europäisches  
Patentamt

European  
Patent Office

Office européen  
des brevets

**Blatt 2 der Bescheinigung**  
**Sheet 2 of the certificate**  
**Page 2 de l'attestation**

Anmeldung Nr.:  
Application no.:  
Demande n°: 00110430.6

Anmeldetag:  
Date of filing: 16/05/00  
Date de dépôt:

Anmelder:  
Applicant(s):  
Demandeur(s):  
Swisscom AG  
3050 Bern  
SWITZERLAND

Bezeichnung der Erfindung:  
Title of the invention:  
Titre de l'invention:  
Voice portal hosting system and method

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s) revendiquée(s)

Staat:  
State:  
Pays:

Tag:  
Date:  
Date:

Aktenzeichen:  
File no.  
Numéro de dépôt:

Internationale Patentklassifikation:  
International Patent classification:  
Classification internationale des brevets:

H04M3/493

Am Anmeldetag benannte Vertragsstaaten:  
Contracting states designated at date of filing: AT/BE/CH/CY/DE/DK/ES/FI/FR/GB/GR/IE/IT/LI/LU/MC/NL/PT/SE/TR  
Etats contractants désignés lors du dépôt:

Bemerkungen:  
Remarks:  
Remarques:

## Voice portal hosting system and method

The present invention concerns a voice portal hosting system and method. More specifically, the present invention concerns a portal system and method for hosting a plurality of voice applications and services from  
5 different external value-added service providers.

The amount of information available in electronic format is large and growing at a fast rate worldwide. This information may be stored in computers and servers and accessed over communication networks such as e.g. the Internet. A popular portion of the Internet is the World Wide Web  
10 that allows for multimedia information such as e.g. text files, images, sound files, etc. to pass between servers and clients using the Hypertext Transfer Protocol (HTTP).

The clients may be desktop or palmtop computers or even mobile phones and use software programs, e.g. a browser, for displaying the  
15 requested information to the users. Even if computers and browsers are extremely widespread nowadays, there are many situations in which, for different kinds of reasons, their use is not appropriate or possible. Especially mobile users are often reluctant to carry a computer or even a palmtop on travel. Moreover, the use of browsers is too cumbersome for  
20 many people or for many uses, for example when only a very short piece of information such as, for example, the exact time, sport results or meteorological forecasts, is needed or for simple electronic transactions.

Users usually request information from an HTTP-server using a request entered on a keyboard and interpreted by the browser. The use of  
25 keyboards in many situations, like while driving cars, is dangerous if not forbidden. Many requests contain an URL (Uniform Resource Locator) of the server which for most users is hard to remember.

On the other hand, interactive voice response systems, often called IVR systems or simply voice servers, are known, in which audio  
30 information can be stored and accessed by a plurality of users with spoken

requests transmitted through the telephone network and interpreted in the voice server. Voice servers have the advantage over http servers that the information can be accessed without any prior knowledge and without any special equipment from any telephone terminal in the world, using a  
5 normal phone number which can be found in conventional white or yellow phone books.

IVR systems usually comprise a speech recognition module, often called speech recognizer or simply recognizer, for recognizing and executing commands uttered by the user. Some IVR furthermore include a  
10 speaker identification or verification module for identifying or verifying the user's identity. Those systems allow the user to navigate through a so-called "voice menu" and to enter commands and requests which are to be executed by the server.

When compared to conventional human-operated teleservices  
15 dedicated to the delivery of goods or services, automated IVR systems allow cost-savings to be achieved by reducing the necessary human resources. Furthermore, those systems offer a better service to users, since they will only rarely hear a busy tone.

A fast and accurate speech recognizer is of unparalleled  
20 importance in order to expand the market space of voice servers and voice based e-commerce applications. In conventional IVR implementations, each service provider operates its own IVR system. IVR systems which are accessed only infrequently by some users don't get a chance to adapt the speech recognition models of those occasional users, so that most speech  
25 recognizers used for voice-enabled e-commerce applications use speaker-independent speech recognition algorithms. On a typical word recognition task, speaker-independent speech recognition systems may have twice the error rate of speaker-dependant systems. Consequently, speech recognition performances in known voice servers usually remain poor.

30 Some IVR systems achieve better performance by using speaker-dependent speech models, which are usually learned during an enrollment

session. However, most users would not accept having to spend the time necessary for a different enrollment session with each individual service provider.

Moreover, the direct recognition of the user's billing and  
5 delivering address was considered to be, for the time being, out of reach of the current speech recognition technology.

#### Summary of the invention

One aim of the invention is to provide a voice portal system and  
method with improved speech recognition performances over existing  
10 methods and systems.

One other aim is to provide a voice portal system and method  
which avoid the need for an explicit user enrollment in the case of simple  
services, and a system that offers an implicit adaptation technique that  
learns the user's habits, his speech accent, and, finally, the language model  
15 he uses.

One other aim is to provide a voice portal system and method  
which use speaker-dependant speech recognition and which may be used  
even for improving speech recognition performances with users who access  
a specific voice-enabled service only occasionally and who don't want to  
20 spend time for an enrollment session with this service.

One other aim is to provide a voice portal system and method  
which are easier and cheaper to set up, especially for small service  
providers, and which allow for good recognition performances even with  
rarely used services.

25 In accordance with one embodiment of the present invention, a  
voice portal hosting system with which a plurality of users in a first voice  
telecommunication network can establish a connection with a voice  
equipment comprises a memory in which a plurality of interactive voice

response applications have been independently uploaded through a second telecommunication network by a plurality of independent value-added service providers. At least a plurality of said interactive voice response applications uses a common speech recognition module run on said system.

5           The voice portal hosting system may be hosted by a telco operator that provides the intelligent IVR system to a plurality of independent value-added service providers.

10           One advantage is that user speech and/or language models can be stored in the hosting system and shared between the various service providers. Thus each service provider can benefit from the overall improvement of speech recognition and/or speaker identification performance.

15           By hosting a plurality of services in a central host, an attractive voice portal, which offers a comprehensive range of services and proposed goods, can be set up.

          In a preferred embodiment, the inventive voice portal delivers highly valued engagement services, for example directory assistance service 23, meteorological forecasts etc., in order to keep the user coming back for more and to create a relationship with this user.

20           Brief description of the drawing

          Fig. 1 shows a diagram of a telecommunication system including one embodiment of the inventive voice portal hosting system.

Detailed Description

25           Fig. 1 shows a diagram of a telecommunication system including a voice portal hosting system 2. A plurality of users 1 can establish a voice connection with this voice portal 2 over a public telecommunication network 10, such as a public switched telecommunication network (PSTN),

an integrated services data network (ISDN), a mobile telecommunication network, e.g. a GSM network, or a voice enabled IP-Network (VoIP). The connection is established by selecting the voice portal 2 phone number on a user terminal equipment 11 such as a phone terminal. Preferably, the voice  
5 portal phone number is a free business number in the 0800 range or, in a various embodiment, a charging number in the 0900 range.

The voice portal hosting system includes a dialogue manager (not shown) using a speech synthesizer (not shown) and a speech recognition module 24 (speech recognizer) for establishing a spoken dialogue with the  
10 user 1. The dialogue manager answers to commands or requests uttered by the user with the requested information or service or by establishing a new connexion with an external server. The speech recognition module preferably uses HMM (Hidden Markov Models), adaptive neural networks or hybrids networks. In a preferred embodiment, the speech recognition  
15 module comprises Hidden Markov Models built with a toolkit such as the HTK toolkit.

For each user registered in the system, a user profile is preferably stored in a database 22. The user profile may include user specific information such as name, address, phone and fax numbers, e-mail address,  
20 preferred language, preferred delivering address, preferred billing address/and or type (e.g. credit card, check, bill, deposit account etc.), configuration preferences, ordering habits, a-priori choices, interests and tastes and so on. If the access to the portal system 2 is secured, the user profile may include security information such as e.g. passwords, biometric  
25 parameters, electronic public keys etc.

In a preferred embodiment, the voice portal hosting system 2 is operated by the operator of the telecommunication network 10. In this case, the user profile may include other information known from this operator such as for example solvability.

30 The system 2 further contains speech (and speaker) models and/or language models for each registered user; those models may be



stored in databases 20, 21 or be implicitly contained in the speech recognizer 24.

The system 2 contains a user identification module 25 for determining the identity of the user 1 currently accessing the system. The module 25 may use the authentication CLI or IMSI (International Mobile Subscriber Identification) of the terminal 11 used by the user and/or a user identity entered on a keypad or uttered by the user for determining his identity. If the voice portal hosting system is operated by the operator of the telecommunication network 10, the A-caller identification may be used for that purpose even if this identification has been concealed for other purposes and for other subscribers, without violating the user's data protection rights. In a preferred embodiment, the user identification module 25 identifies in a first step the equipment 11 and uses in a second step a user identification method for determining which user, among the known users of the equipment 11, is currently calling the system. This feature allows for differencing among the several people in a household or in a company who share the same terminal equipment 11. In a variant embodiment, the user 1 is prompted to enter his user name when he calls the system; the declined identity is then checked using known speaker verification methods. The user identification module 25 preferably uses known HMM techniques and speaker models stored in the database 20.

Once the user has been identified by the module 25, his speech and language models as well as his profile can be retrieved from the databases 20, 21 and 22 and used by the dialogue manager (not shown) and by the speech recognizer 24 in order to adapt the dialogue and the speech recognition to each user. By using the fact that speaker-dependent speech recognition is used, a better performance is achieved and thus the quality of service will increase.

The one skilled in the art will understand that, instead of training and storing user dependant speech models in the database 20, adaptation techniques can be applied. In this case, by using only a small amount of data from a new user, a good speaker-independent model set can be

adapted using maximum likelihood linear regression to fit the characteristics of each user. This adaptation can proceed incrementally as adaptation data becomes available (incremental adaptation).

The voice portal hosting system 2 further preferably contains a  
5 directory assistance service 23 and/or various other engagement services which may be offered by the operator of the system 2 in order to attract a large number of users, to encourage them to use this system and to let them remember its phone number.

According to the invention, the voice portal hosting system 2  
10 comprises a document server 26, which includes at least a memory, in which a plurality of voice applications can be independently uploaded through a telecommunication network 3 by a plurality of independent value-added service providers 4. Each application may e.g. correspond to an offer or a "voice site" of one provider; the user 1 can access each voice application  
15 from the common menu, which is offered to him when he calls the system.

At least several of the voice applications in the memory 26 use the common speech recognizer 24 run on the voice portal hosting system 2. In a preferred embodiment, several of the voice applications in the memory 26 share in the same way the language models 21 and/or at least a part of  
20 the user profile 22.

The providers can upload a voice application in the system 3 through a telecommunication network, e.g. a TCP/IP network, a public switched telecommunication network (PSTN), an integrated services data network (ISDN), an X25 network, etc. The voice application may include a  
25 collection of software objects and/or components, such as executable files, Java-Beans, Corba components etc., which may be installed in the memory 26 and executed by a suitable processor. The voice application may comprise not-compiled or precompiled software modules which are compiled or interpreted by a common compilation module (not shown) in  
30 said voice portal hosting system 2. In a preferred embodiment, the voice application comprises a VoiceXML document, or a set of VoiceXML

documents, which form a conversational finite state machine and which are written using the known Voice extensible markup language (VoiceXML) established by the VoiceXML forum. The VoiceXML is a computer language designed to make information accessible via voice and phone and to create  
5 audio dialogs that feature synthesized speech, digitalized audio, recognition of spoken and DTMF inputs, recording of spoken inputs, and interactive exchanges. In this embodiment, the document server includes a VoiceXML interpreter for processing the VoiceXML documents requested by the users 1 calling the voice portal hosting system 2.

10           According to the invention, the recognizer 24 and/or the user identification module 25 make use of a common on-line speech adaptation module 240 for adapting the speech and/or language models, and/or for adapting the HMMs in the recognizer 24 and/or in the speaker  
15 identification module 25. This allows the large quantity of training material coming from all the underlying services 40, 41, 42, 43 etc. to be exploited. The consequence is that the speech recognition is greatly enhanced by two possible procedures: (i) the personalization of the speech recognition to each user 1 or (ii) simply the increase of the quality of the speaker-  
20 independent speech recognition and speaker identification by periodic retraining with the on-field speech data. The goal of the first procedure is to adapt a speaker-independent speech recognition system to a particular user 1 and, in this way, to benefit from the increase of performance offered by speaker-dependent recognition methods. Additionally, the stochastic  
25 language model will be stored in a database 21 and updated for each specific user and service access. Therefore the antecedents of the language model can enhance the overall speech recognition result.

As a result, each service provider 40 can benefit for his VoiceXML documents from a recognizer using user speech models which are improved each time one user accesses any one of the different services 23, 40, 41, 42,  
30 43 etc.

In speech recognition, the language model and the acoustic model are related by the Bayes' rule:

$$P(\omega_j | x) = p(x | \omega_j) P(\omega_j) / p(x)$$

where  $P(\omega_j)$  is the language model, and  $p(x | \omega_j)$  is the acoustic model: the probability density function of the observation sequence  $x$  given the class of vocabulary word  $\omega_j$ . The classification is made based on the  
 5 estimation of the maximum a posteriori probability  $P(\omega_j | x)$ .

Preferably, the voice portal hosting system 2 keeps listening to the communication while transferring the call to a specific value-added service provider 4; the purpose is to record the spoken items for the further adaptation of the speech and language models 20, 21.

10 In a preferred embodiment, users' calls are temporarily recorded in the voice portal hosting system 2, in order to provide for an off-line adaptation of the users' speech and language models. Calls may be erased after a predetermined time length or preferably as soon as they have been used for adapting the models.

15 Choices and selections made by the users in the voice menu are preferably individually and/or statistically stored, in order to provide for a general and/or user-specific improvement of the arborescence of the voice menu, or to provide for user-specific options and offers. Menu options which are often selected by a specific user and/or by most users may be  
 20 reorganized in order to be more easily accessible. Moreover, the knowledge of the probability of each selection may be used for improving the quality of the speech recognition of each possible option in a menu.

The voice portal hosting system 2 preferably includes a common billing module and a common clearing center (not shown) for collecting  
 25 and dispatching the collected amounts to the value-added service providers 4. As a result, a plurality of service providers can use shared modules, components, functions and/or objects in the voice portal hosting system 2 for billing the access to their services on a pay-per-minute or pay-per-view basis, and/or for billing the transactions between users 1 and providers 4.  
 30 The billing can be effected with a common bill prepared by the operator of

the voice portal hosting system 2 and grouping all the amounts due by the users to said operator and to the providers 4; if the system 2 is managed by the operator of the telecommunication network 10, the billing can be made with the phone bill sent to the network's users.

5           In a variant embodiment, at least several users 1 have a deposit account on said voice portal hosting system 2 which can be used for transactions with a plurality of value-added service providers. It is also possible to debit the users' credit card or phone card for each transaction or connexion with any of the providers 4. Preferably, the billing address  
10           and/or preferences for each user are registered in the user profile database 22.

          If the voice portal hosting system 2 integrates an access to the phone directory 23, as shown, the billing and/or delivering address of the user can also be found, checked or completed with this directory.

15           Using adapted requests, the various voice applications in the memory 26 can preferably access at least a part of the content of the common user profile database 22 in order to retrieve e.g. the default billing address and preferences, the default delivery address, the user's preferred language and so on. In a preferred embodiment, at least part of  
20           the user data in the database 22 can be updated by a plurality of voice applications from different service providers.

          At least some of the voice applications uploaded in the memory 26 are voice-enabled e-commerce applications that allow the voice portal hosting system 2 to "monetize" the relationship with the user 1. The  
25           example of a pizza automatic ordering system is a typical revenue-generating interactive voice response application. In that example, the service provider 4 is a pizza firm that pays a small amount per call or per order to the Telco operator and also a monthly fee for the service hosting.

In the following dialogue, the user 1 wishes to access the hosted voice application of the pizza company 40 for ordering a quattro stagioni pizza.

<b>The residential user 1</b>	<b>The voice portal hosting system 2 and the pizzeria 40:</b>
The user calls the voice portal hosting system 2 where the pizza e-shop is hosted.	The user identification module 25 has identified the user. The speech and language models 20, 21 are loaded.
	<u>The voice portal hosting system:</u> <i>Welcome, which e-shop would you like to visit?</i>
<u>The user:</u> <i>Give me the Blitz-Pizzas.</i>	The user's specific language 21 and speech 20 models are used to improve the recognition accuracy.
	<u>hosted e-shop:</u> <i>Welcome, what is your pizza choice?</i>
<u>The user:</u> <i>One Quattro stagioni, please!</i>	The "a priori" choice 22 of this user is known by the system and is given to the language model.
	<u>hosted e-shop:</u> <i>Is the following delivering and billing address correct? 44<sup>th</sup> Bakerstreet in London.</i>
<u>The user:</u> <i>That's correct!</i>	The following question is suggested by the user's profile 22.
	<u>hosted e-shop:</u> <i>Would you like an additional salad?</i>

	<i>additional salad?</i>
<u>The user:</u> <i>No thanks!</i>	
	<u>hosted e-shop:</u> <i>Anything else?</i>
<u>The user:</u> <i>No thanks!</i>	
	<u>hosted e-shop:</u> <i>Your order is registered: a quattro stagioni pizza which costs 6£ and is expected to be delivered in about 15 minutes.</i>
The user terminates the communication.	

- The voice portal hosting system 2 may comprise a standard digital computer 2 connected both to a first telecommunication network 10, e.g. a PSTN, ISDN, GSM or TCP/IP-Network, and to a second telecommunication
- 5 network 3, e.g. TCP/IP, PSTN, ISDN or X25 network, and comprising an internal memory (not shown) in which a computer program product 26 can be directly loaded for performing the method steps of the invention when said product is run on said computer.

## Claims

1. Voice portal hosting system (2) with which a plurality of users (1) in a first voice telecommunication network (10) can establish a connection with a voice equipment (11),  
5 comprising a memory (26) in which a plurality of interactive voice response applications have been independently uploaded through a second telecommunication network (3) by a plurality of independent value-added service providers (4),  
wherein at least a plurality of said interactive voice response  
10 applications uses a common speech recognition module (24) run on said system.
2. Voice portal hosting system according to claim 1, wherein said common speech recognition module (24) uses a common user profile database (22).
- 15 3. Voice portal hosting system according to the preceding claim, wherein said common user profile database (22) includes user preferences.
4. Voice portal hosting system according to the preceding claim, wherein said user preferences include a delivery address for goods and/or services ordered with said value-added service providers (4).
- 20 5. Voice portal hosting system according to the claim 3, wherein said user preferences include a billing address and/or preferences for goods and services ordered with said value-added service providers (4).
6. Voice portal hosting system according to one of the preceding claims, wherein said common speech recognition module (24) uses user-  
25 specific speech models (20).
7. Voice portal hosting system according to the preceding claim, comprising means for adapting said common speech models (20) associated



to a user (1) during each dialogue between said user (1) and each of said interactive voice response applications.

8. Voice portal hosting system according to the preceding claims, wherein said means for adapting said common speech models uses  
5 recorded users' speech samples for adapting said common speech models off-line.

9. Voice portal hosting system according to one of the claims 1 to 5, wherein said common speech recognition module uses Hidden Markov Models, and further comprising a Hidden Markov Models adaptation  
10 module (240) for adapting said models to said user.

10. Voice portal hosting system according to the preceding claim, wherein said Hidden Markov Models adaptation module (240) allows for an incremental adaptation of said models.

11. Voice portal hosting system according to one of the preceding  
15 claims, wherein said common speech recognition module (24) uses user-specific language models (21).

12. Voice portal hosting system according to the preceding claim, comprising means for adapting said common language models (21) associated to a user (1) during each dialogue between said user (1) and  
20 each of said interactive voice response applications (4).

13. Voice portal hosting system according to one of the preceding claims, wherein said common speech recognition module (24) uses selections previously made by said users.

14. Voice portal hosting system according to one of the preceding  
25 claims, wherein said selections previously made by said users are stored in said voice portal hosting system for improving the arborescence of the menus.

15. Voice portal hosting system according to one of the preceding claims, wherein at least a plurality of said interactive voice response applications use a common user identification module (25) run on said system (2).

5 16. Voice portal hosting system according to the preceding claim, wherein said user identification module (25) uses an identification of the equipment (11) used by said user (1) in said first telecommunication network (10).

10 17. Voice portal hosting system according to the preceding claim, being operated by a telecom operator of said first telecommunication network (10), wherein said user identification module (25) uses an identification of the equipment (11) used by said user in said first telecommunication network (10) even when said identification is not available for the other B-subscribers of said first telecommunication network.  
15

18. Voice portal hosting system according to one of the claims 15 to 17, wherein said user identification module (25) uses a voice-based user identification module.

20 19. Voice portal hosting system according to one of the claims 15 to 18, wherein said common speech recognition module (24) uses a speaker-dependant speech recognition algorithm, wherein said speaker is identified by said common user identification module.

20 20. Voice portal hosting system according to one of the preceding claims, wherein at least a plurality of said interactive voice response applications use a common billing module and a common clearing center for dispatching the collected amounts to said value-added service providers (4).  
25

21. Voice portal hosting system according to the preceding claim, wherein said common billing module allows for the billing of transactions

between said users (1) and said value-added service providers (4) on a common bill prepared by the operator of said voice portal hosting system (2).

22. Voice portal hosting system according to claim 20, wherein at  
5 least a plurality of said users have a deposit account on said voice portal hosting system (2) which can be used for transactions with a plurality of said value-added service providers (4).

23. Voice portal hosting system according to one of the preceding  
10 claims, wherein at least a plurality of said interactive voice response applications use a user authentication module based on an electronic signature and/or on biometric parameters of said users (1).

24. Voice portal hosting system according to one of the preceding  
claims, wherein said second telecommunication network (3) is a TCP/IP network.

15 25. Voice portal hosting system according to the preceding claim, wherein at least some of said interactive voice response applications are described with Voice extensible Markup Language documents.

26. Voice portal hosting system according to the preceding claim,  
20 wherein a compilation module run on said system compiles said interactive voice response applications.

27. Voice portal hosting system according to one of the preceding  
claims, wherein at least one free interactive voice response application (23) is made available by the operator of said system.

28. Voice portal hosting system according to the preceding claims,  
25 wherein said free interactive voice response application includes a free directory assistance service (23).

29. Method for allowing each of a plurality of value-added service providers (4) to set up an interactive voice response application which can be used by a plurality of users (1), comprising:

independently uploading said interactive voice response applications through a second telecommunication network (3) in a voice portal hosting system (2) commonly used by said plurality of value-added service providers (4),  
wherein at least a plurality of said applications use a common speech recognition module (24) run on said voice portal hosting system (2).

10 30. Method according to the preceding claim, wherein said interactive voice response applications use a common user profile database (22) stored in said voice portal hosting system (2).

31. Method according to the preceding claim, wherein said interactive voice response applications use user preferences stored in said  
15 common user profile database (22).

32. Method according to the preceding claim, wherein said user preferences include a delivery address for goods and/or services ordered with said value-added service providers (4).

33. Method according to the claim 32, wherein said user  
20 preferences include a billing address and/or preferences for goods and/or services ordered with said value-added service providers (4).

34. Method according to one of the claims 29 to 33, wherein said common speech recognition module (24) uses common users' speech models (20).

25 35. Method according to the preceding claim, wherein said common speech models (20) associated to a user are adapted during each dialogue between said users (1) and each of said interactive voice response applications.

36. Method according to one of the claims 29 to 35, wherein said common speech recognition module (20) uses common users' language models (21).

37. Method according to the preceding claim, wherein said  
5 common language models (21) associated to a user (1) are adapted during each dialogue between said user (1) and each of said interactive voice response applications.

38. Method according to one of the claims 29 to 37, wherein at  
10 least a plurality of said interactive voice response applications uses a common user identification module (25) run on said system.

39. Method according to the preceding claim, wherein said user identification module (25) uses an identification of the equipment (11) used by said user (1) in said first telecommunication network.

40. Method according to the preceding claim, wherein said voice  
15 portal hosting system (2) is operated by a telecom operator of said first telecommunication network (10), wherein said user identification module (25) uses an identification of the equipment (11) used by said user (1) in said first telecommunication network (10) even when said identification is not available for the other B-subscribers of said first telecommunication  
20 network.

41. Method according to one of the claims 38 to 40, wherein said user identification module (25) uses a voice-based speaker identification module.

42. Method according to one of the claims 38 to 40, wherein said  
25 common speech recognition module (24) uses a speaker-dependant speech recognition algorithm, said user being identified by said common user identification module (25).

43. Method according to one of the claims 29 to 42, wherein at least a plurality of said interactive voice response applications use a common billing module and a common clearing center for dispatching the collected amounts to said value-added service providers (4).

5 44. Method according to the preceding claim, wherein said common billing module allows for the billing of transactions between said users (1) and said value-added service providers (4) on a common bill prepared by the operator of said voice portal hosting system (2).

45. Method according to claim 43, wherein at least a plurality of  
10 said users (1) have a deposit account on said system (2) which can be used for transactions with a plurality of said value-added service providers.

46. Method according to one of the claims 29 to 45, wherein at least a plurality of said interactive voice response applications use a user authentication module based on an electronic signature and/or on  
15 biometric parameters of said users.

47. Method according to one of the claims 29 to 46, wherein at least some of said interactive voice response applications are described with Voice extensible Markup Language documents.

48. Method according to the preceding claim, wherein a  
20 compilation module run on said voice portal hosting system (2) compiles said interactive voice response applications.

49. Computer program product (26) directly loadable into the internal memory of a digital computer (2), comprising software code portions for performing the steps of one of the claims 29 to 48 when said  
25 product is run on a server (2) connected to a first telecommunication network (10).




Fig. 1

**Abstract**

Voice portal hosting system (2) with which a plurality of users (1) in a first voice telecommunication network (10) can establish a connection with a voice equipment (11),

5 comprising a memory (26) in which a plurality of interactive voice response applications have been independently uploaded through a second telecommunication network (3) by a plurality of independent value-added service providers (4),

wherein at least a plurality of said interactive voice response  
10 applications uses a common speech recognition module (24) run on said system.

(Fig.)



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**